

**Panhandle Health District Public Health Indicators
2005-2009 Data**

Item	Idaho	PHD	Idaho	PHD	Idaho	PHD	Idaho	PHD	Idaho
Maternal/Child	2009	2009	2008	2008	2007	2007	2006	2006	2005
1) % unintended pregnancies	n/a	n/a	34.7	42.5	36.3	38.0	34.4	39.3	34.8
2a) % live births with adequate prenatal care	44.7	44.4	44.6	42.9	42.6	42.6	42.0	46.6	41.9
2b) % live births with intensive prenatal care	29.9	32.0	27.5	32.2	30.1	35.2	31.9	34.9	32.3
2c) % live births with adequate or intensive prenatal care	74.6	76.5	72.1	75.2	72.7	77.8	73.9	81.5	74.2
3a) % live births with adequate prenatal care	44.6	42.9	42.6	42.6	42.0	46.6	41.9	44.4	41.6
3b) % live births with intensive prenatal care	27.5	32.2	30.1	35.2	31.9	34.9	32.3	34.9	32.6
3c) % live births with adequate or intensive prenatal care	72.1	75.2	72.7	77.8	73.9	81.5	74.2	79.3	74.2
4) % live births with low birth weight ²	6.6	5.7	6.5	5.6	6.6	6.0	6.9	5.6	6.7
5) % live births with tobacco use during pregnancy	12.0	19.5	11.6	20.3	12.0	21.6	12.7	21.6	31.2
6) % WIC participation ⁴	44.3	43.3	40.7	39.3	37.0	37.4	35.9	38.8	38.5
7) % prevalence of breastfeeding ⁵	88.4	91.3	87.7	90.6	88.1	88.3	88.4	89.0	88.0
Adolescents									
1) Teen pregnancy rate (15-19) ⁶	n/a	n/a	48.7	51.8	49.5	44.8	46.5	42.4	44.7
2) Motor vehicle crash death rate (ages 15-19)	24.5	18.9	28.2	23.4	27.7	18.4	27.0	25.3	28.2
3) Two-year suicide rate (ages 10-18)	7.2	7.7	7.5	6.3	6.4	10.0	5.8	5.2	5.2

Item	Idaho	PHD	Idaho	PHD	Idaho	PHD	Idaho	PHD	Idaho
Adults	2009	2009	2008	2008	2007	2007	2006	2006	2005
1) % without health care coverage	18.7	19.8	18.5	20.5	18.9	18.4	18.8	20.6	18.9
2) % with no leisure time activity	21.0	21.9	21.1	24.5	19.6	18.1	20.8	16.8	21.6
3) % overweight (BMI ≥ 25)	61.3	60.5	62.2	63.3	63.1	60.8	59.7	62.7	61.4
4) % diagnosed with diabetes	8.0	7.3	7.0	6.4	7.9	7.0	6.8	7.0	6.8
5) % who smoke	16.3	22.6	16.9	20.5	19.1	23.6	16.8	19.2	17.9
6) % who binge drink ¹⁰	13.0	13.8	13.1	15.8	14.7	17.4	14.8	17.4	14.2
7) % of females (age 40+) without breast cancer screening (mammogram + clinical breast exam)	n/a	n/a	36.8	39.4	n/a	n/a	37.8	38.2	n/a
8) % of males (age 40+) without prostate cancer screening in past 2 years	n/a	n/a	47.1	49.7	n/a	n/a	48.7	49.6	n/a
9) % who did not wear seatbelts	n/a	n/a	23.4	22.6	24.6	22.2	26.8	22.2	23.8
10) Two-year suicide rate (ages 65+)	22.5	27.8	21.9	26.9	21.1	28.0	22.6	28.8	22.9
11) % with no dental visit in the past 12 months	29.9	34.0	32.0	33.7	32.3	36.7	34.6	37.8	33.5

"na" indicates data are not available for this year.

SOURCES:

For Maternal/Child indicator 1: Pregnancy Risk Assessment Tracking Systems (PRATS), Bureau of Vital Records and Health Statistics. PRATS is a

For Maternal/Child indicators 2-7, Adolescents indicators, and Adults indicator 10: Vital Statistics, Bureau of Vital Records and Health Statistics.

For Adults indicators 1-9, 11: Idaho Behavioral Risk Factor Surveillance System (BRFSS), Bureau of Vital Records and Health Statistics.

NOTES:

1. In 2004, the Idaho birth certificate was revised. Beginning in 2004, Idaho prenatal care data are based on date of first prenatal care visit as reported in the mother's medical record. Prenatal care data in 2004 and after are not comparable with prenatal care based on month prenatal care began. The APNCU index classifies care as intensive, adequate, intermediate, inadequate, or no care by comparing the number of actual prenatal care visits that a woman was expected to receive, given the onset of prenatal care and the length of gestation. Percents based on records with stated data for APNCU calculation (date of first prenatal care visit, number of visits, and length of gestation).

2. Low birth weight: live birth weighing under 2,500 grams (5 1/2 pounds or less). Percents based on records with stated birth weight.

3. Prior to 2004, tobacco use during pregnancy (yes or no) was reported on the Idaho birth certificate. Beginning in 2004, cigarette smoking before and during

pregnancy is reported on the revised birth certificate. Data prior to 2004 are not comparable with data in 2004 and after.

4. The revised 2004 Idaho birth certificate includes a new variable for reporting if mother received WIC food for herself during this pregnancy (yes or no)?
5. The revised 2004 birth certificate includes a new variable for reporting if infant was being breastfed at birth or at the time the birth certificate was completed (yes or no)?
6. Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weight 350+ grams are required to be reportable under Idaho law.) Rate: Number of pregnancies per 1,000 females in corresponding age group. Rates are based on July 1, 2009 female population estimates from the National Center for Health Statistics, United States resident population from the Vintage 2009 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date to be announced.
7. Motor Vehicle Crash Death Rate: average number of motor vehicle crash deaths from 2007 to 2009 in age group per 100,000 population in age group.
8. Suicide rate: number of suicides from 2007 to 2009 in age group per 100,000 population in age group.
9. Rates are based on the National Center for Health Statistics, estimates of the July 1, 2008 United States resident population from the Vintage 2008 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release September 2, 2009.
10. Prior to 2005, Idaho BRFSS reported drinking status among all adults (binge drinking = 5 or more drinks in single occasion). Beginning in 2005, Idaho reports gender specific status (5 or more for males, 4 or more for females, in single occasion).

PHD			
2005		2005	
40.5			
44.4			
34.9			
79.3			
45.6			
29.0			
74.6			
6.5			
22.5			
40.1			
88.4			
42.4			
32.1			
5.1			

PHD	
2005	2005
21.2	
20.8	
59.4	
6.3	
20.7	
13.2	
n/a	
n/a	
17.5	
26.6	
38.3	